# **PATENT COOPERATION TREATY**

# **PCT**

REC'D	11	OCT	2005
WIPO			PCT

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent' 58745WO003	s file reference	FOR FURTHER ACTION	ON	See Form PCT/IPEA/416				
International applica		International filing date (day)	month/year)	Priority date (day/month/year)				
PCT/EP2004/007745 14.07.2004				14.07.2003				
International Patent Classification (IPC) or national classification and IPC A61K6/00								
Applicant  3M ESPE AG et al								
This report in Authority under the Author	s the international pre der Article 35 and tra	ilminary examination repor	t, established by this ecording to Article 36	s International Preliminary Examining				
		of 5 sheets, including this	cover sheet.	·				
		by ANNEXES, comprising:						
	• •	o the International Bureau)						
	sheets of the descript and/or sheets contain Administrative Instruc	ng rectifications authorized	which have been ar by this Authority (se	mended and are the basis of this report see Rule 70.16 and Section 607 of the				
	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.							
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing a sequence listing and/or tables related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).								
4. This report	contains indications r	elating to the following item	ıs:					
⊠ Box No.	. I Basis of the op	inion						
☐ Box No.								
1		nent of opinion with regard	nt of opinion with regard to novelty, inventive step and industrial applicability					
☐ Box No.			••	• • • • • • • • • • • • • • • • • • • •				
⊠ Box No	. V Reasoned stat applicability; ci	ement under Article 35(2) v tations and explanations su	vith regard to novelty	r, inventive step or industrial ment				
☐ Box No	. VI Certain docum	ents cited						
☐ Box No. VII Certain defects in the international applic		cation						
☐ Box No	☐ Box No. VIII Certain observations on the international application							
Date of submission	of the demand	[	Date of completion of th	nis report				
15.03.2005			11.10.2005					
Name and mailing address of the international			Authorized Officer					
preliminary examining authority:  European Patent Office - P.B. 5818 Patentlaan 2  NL-2280 HV Rijswijk - Pays Bas  Tel. +31 70 340 - 2040 Tx: 31 651 epo ni  Fax: +31 70 340 - 3016			Böhm, I					

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/007745

	Box	No. I Basis of the report		
1.	With filed	Vith regard to the <b>language</b> , this report is based on the international application in the language in whicled, unless otherwise indicated under this item.		
		This report is based on translations from the original language into the following language, which is the language of a translation furnished for the purposes of:  international search (under Rules 12.3 and 23.1(b))  publication of the international application (under Rule 12.4)  international preliminary examination (under Rules 55.2 and/or 55.3)		
2.	2. With regard to the <b>elements*</b> of the international application, this report is based on (replacement sheets when have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):			
	Des	cription, Pages		
1-21		as originally filed		
	Clal	ms, Numbers		
	1-16	received on 19.09.2005 with letter of 19.09.2005		
		a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing		
3.		The amendments have resulted in the cancellation of:  ☐ the description, pages ☐ the claims, Nos. ☐ the drawings, sheets/figs ☐ the sequence listing (specify): ☐ any table(s) related to sequence listing (specify):		
4.	had Sup	This report has been established as if (some of) the amendments annexed to this report and listed below I not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the oplemental Box (Rule 70.2(c)).  I the description, pages I the claims, Nos. I the drawings, sheets/figs I the sequence listing (specify): I any table(s) related to sequence listing (specify):		
	*	If item 4 applies, some or all of these sheets may be marked "supergoded "		

### INTERNATIONAL PRELIMINARY REPORT **ON PATENTABILITY**

International application No. PCT/EP2004/007745

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-16

No:

Claims

Inventive step (IS)

Yes: Claims

1-16

No: Claims

Industrial applicability (IA)

Yes: Claims

1-16

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

# INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/EP2004/007745

#### Re Item V.

The following documents have been referred to in this communication:

D1: EP 0 842 651 A (MUEHLBAUER ERNST KG) 20 May 1998 (1998-05-20)

D2: EP 0 712 622 A (TOKUYAMA CORP) 22 May 1996 (1996-05-22)

#### I) Novelty

D1 (EP 0842651 A) discloses a primer composition for dental composite fillers. The primer composition is an adhesive based on phosphoric acid and 10-90 wt.-% of phosphoric acid monoester and phosphoric acid diester. (see p.3, line 25-57)

This composition combines both steps, the etching-step and applying the primer. (see p.4, lines 39-41)

The composition contains 20-35 wt.-% of phosphoric acid monoester and 25-45 wt.-% of phosphoric acid diester. (see cl. 6) The composition contains furthermore a polymerisation initiator. (see cl. 12)

Additionally the composition comprises 1-15 wt.-% of a phosphoric acid triester and a diphosphate. (see p.4, lines 1-20)

The phosphoric acid groups containing (meth)acrylic acid groups, these groups are polymerising and forming a polymerized film on the surface of the tooth.

D1 does not disclose a composition comprising component (b), that is one or a mixture of phosphoric acid esters bearing substituents, wherein one of the substituents has two or more ethylenically unsaturated moieties on the phosphorus atom; in contrast to that, the unsaturated moieties of components (b) of D1 are located in different substituents (R1 and R2).

Therefore the subject-matter of claims 1-16 is novel of D1. (Article 33(1) and (2) PCT)

## II) Inventive step

D1 represents the **closest prior art** and discloses a primer composition for dental composite fillers. The primer composition is an adhesive based on phosphoric acid and 10-90 wt.-% of phosphoric acid monoester and phosphoric acid diester.

The present invention differs from D1 in that D1 fails to disclose the specific combination of components (a) and (b).

The **problem** to be solved is to provide a dental composition showing good adhesion to a tooth surface and having low water uptake.

The inventive composition of claim 1 solves the problem posed having the technical effect of decrease in polarity upon curing as well as good adhesion properties.

The decrease in polarity is combined with a lower water uptake and thus reduced swelling.

The skilled person has no motivation and suggestions from D1 to arrive at the dental composition claimed.

Therefore the subject-matter of claims 1-16 involves an **inventive** step. (see Article 33(1) and (3) PCT)

58745WO003 BO-GLP/PCT

X

X

22

#### Claims:

- 5 1. A dental composition, comprising
  - a) one or a mixture of phosphoric acid esters bearing substituents with one ethylenically unsaturated molety on the phosphorus atom.
  - b) one or a mixture of phosphoric acid esters bearing substituents with two or more ethylenically unsaturated moleties on the phosphorus atom:
- 10 c) initiators, [, where one of the substants to ]
  - d) optionally stabilizers,
  - e) unsaturated monomers
  - f) optionally unsaturated polymers and/or prepolymers
  - g) optionally a solvent,
- h) optionally a fluoride release agent,
  - i) optionally a non reactive inorganic filler,
  - j) optionally a photobleachable colorant, where, <->
- 2. The dental composition according to claim 1, wherein component (a) is represented by formula (I)

(I)

The term "on the phosphorus atom" means that the ethylenically unsaturated moiety/moletier is/are present in one of the substituents bonded to the phosphorus atom.)

ţ

ly-bep-2003 15:02 von 3m espe ag ab

AN EPA

58745WO003 BO-GLP/PCT

23

wherein  $R_1 = (i)$  alkylene having 1 to 4 C atoms, (ii) or a bivalent organic group having 1 to 4 carbon atoms composed of two or more hydrocarbon residues bonded to one another by one or more ether or thioether linkages, (iii) or aryl, each optionally substituted with OH;

5 wherein  $R_2 = H$ ,  $CH_3$ ;

wherein  $X_1 = OH$  or halogen; and

wherein  $X_2 = X_1$  or  $-0-R_1-00C-CR_2=CH_2$ ,

and component (b) is represented by formula (II),

10 (11)

15

Ç

wherein  $R_3$ ,  $R_4$ , and  $R_5$  = (i) H, (ii) linear or branched alkyl having 1 to 4 carbon atoms, optionally substituted with OH, (iii) aryl, optionally substituted with OH, (iv) organic group having 5 to 15 carbon atoms composed of 2 to 6 saturated or ethylenically unsaturated hydrocarbon residues bonded to one another by one or more ether, thioether, ester, thioester, thiocarbonyl, amide, urethane, carbonyl and/or sulfonyl linkages, each optionally substituted with OH,

wherein at least 2 of the groups  $R_3$ ,  $R_4$ , and  $R_5$  comprise at least 1 group according to formula (III)

20 or

at least 1 of the groups  $R_3$ ,  $R_4$ , and  $R_5$  comprises at least 2 groups according to formula (III)

58745WO003 BO-GLP/PCT

1

(

15

25

24

(111)

and wherein  $X_2 = X_1$  or -0-CR<sub>3</sub>R<sub>4</sub>R<sub>5</sub> or -0-R<sub>1</sub>-OOC-CR<sub>2</sub>=CH<sub>2</sub>.

- 3. The dental composition according to anyone of the preceding claims, wherein component (b) is present in an amount of about 1 to about 500 parts by weight based on about 100 parts by weight of component (a).
- The dental composition according to anyone of the preceding claims, wherein the total amount of components (a) and (b) in the composition is about 10 to about 90 parts by weight.
  - 5. The dental composition according to anyone of the preceding claims, wherein the polymer and/or prepolymer of component (f) is present in an amount of about 0 to about 30 parts by weight.
  - 6. The dental composition according to claim 5, wherein the prepolymer does not contain any hydroxy, acidic or ionic groups.
- 7. The dental composition according to claim 5 or 6, wherein the prepolymer has an Mw in the range of about 600 to about 20000.
  - 8. The dental composition according to anyone of the preceding claims having a contact angle versus deionized water of more than about 15°, if the composition is cured in the presence of air, and of more than about 50°, if the composition is cured in the absence of air.

19-5EP-2005 15:02 VON 3M ESPE A

58745WO003 BO-GLP/PCT

-09-2005

5

15

20

Ċ

ĺ

25

EPA

- 9. The dental composition according to anyone of the preceding claims having an adhesion to enamel and/or dentin in the range of about 2 to about 15 MPa.
- 10. The dental composition according to anyone of the preceding claims having a water uptake of less than about 5 % by weight with respect to the cured composition measured after having immersed the composition for 5 h in water of 37°C.
- 11. The dental composition according to claim 10 having an enamel adhesion of at least about 5 MPa.
  - 12. The dental composition according to anyone of the preceding claims, wherein component (a) is selected from 2-methacryloyloxyethyl phosphate, 2-methacryloyloxypropyl phosphate, 3-methacryloyloxypropyl phosphate, 2-methacryloyloxybutyl phosphate, 3-methacryloyloxybutyl phosphate, 4-methacryloyloxybutyl phosphate, 5-methacryloyloxy-3-oxa-pentyl phosphate, bis(2-methacryloyloxyethyl) phosphate, bis(2-methacryloyloxypropyl) phosphate, bis(3-methacryloyloxypropyl) phosphate, bis(2-methacryloyloxybutyl) phosphate, bis(3-methacryloyloxybutyl) phosphate, bis(4-methacryloyloxybutyl) phosphate, bis(5-methacryloyloxy-3-oxa-pentyl) phosphate, phosphate, or mixtures thereof.
- 13. The dental composition according to anyone of the preceding claims, wherein component (b) is selected from glycerol-1,3-dimethacrylate-2-phosphate, glycerol-1,2-dimethacrylate-3-phosphate, bis(glycerol-1,3-dimethacrylate) phosphate, bis(glycerol-1,2-dimethacrylate) phosphate, (glycerol-1,2-dimethacrylate) phosphate, (trimethylolpropane dimethacrylate) phosphate, bis(trimethylolpropane dimethacrylate) phosphate, (trimethylolethane dimethacrylate) phosphate, bis(trimethylolethane

58745WO003 BO-GLP/PCT

5

{

26

dimethacrylate) phosphate, pentaerythritol trimethacrylate phosphate or mixtures thereof.

- 14. Kit of parts, comprising in one part components (a), (b), (c), (d), (e), (f), (i), (j) and in another part components (c), (d), (e), (f), (g) as described in anyone of the preceding claims.
- 15. Use of a dental composition according to anyone of claims 1 to 13 or the kit according to claim 14 for the production of a material to be used for the adhesive securing of dental filling materials based on (meth)acrylates and/or epoxles, as self-adhesive dental pit and fissure sealants, and/or as self-adhesive dental desensitizers.
- 16.Method for preparing a composition according to anyone of claims 1 to 14 comprising the step of mixing the components.